

Sewall Wetland Consulting, Inc.

PO Box 880 Fall City, WA 98024 Phone: 253-859-0515

February 1, 2016

Eric Phillips City of Edgewood – Assistant City Administrator 2224 104th Ave E, Edgewood WA 98372 Edgewood, WA

RE: Critical Area Report- Parcel No. 0420152006 City of Edgewood County, Washington

SWC Job #15-132

Dear Eric,

This report describes our observations of jurisdictional wetlands, streams and buffers on Parcel No. 0420152006, located east of Meridian Avenue and north of 36th Street East in the City of Edgewood, Washington. The site is an irregular shaped, 18 acre parcel located at 3811 Meridian Avenue East.

METHODOLOGY

Ed Sewall of Sewall Wetland Consulting, Inc. inspected the site on January 17, 2016. The site was reviewed using methodology described in the *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory, 1987), and the *Western Mountains, Valleys and Coast region Supplement* (Version 2.0) dated June 24, 2010, as required by the US Army Corps of Engineers as well as the City of Edgewood. Soil colors were identified using the 1990 Edited and Revised Edition of the Munsell Soil Color Charts (Kollmorgen Instruments Corp. 1990).



Above: Kitsap County Parcel Map of the site.

OBSERVATIONS

Existing Site Documentation.

Prior to visiting the site, a review of several natural resource inventory maps was conducted. Resources reviewed included the National Wetland Inventory Map and the NRCS Soil Survey online mapping.

Soil Survey

According to the NRCS Soil Mapper website, the site is mapped as Alderwood gravelly sandy loam 0%-8% slopes (Map unit 1B), and Kapowsin, gravelly ashy loam 0%-6% slopes (Map unit 19B). Neither of these soils is considered wetland or hydric soils according to the publication Hydric Soils of the United States (USDA NTCHS Pub No.1491, 1991).



Above: NRCS Soil map of the study area.

National Wetlands Inventory (NWI)

There are no wetlands or streams depicted on or near the site on the NWI map. The closest mapped wetland is a scrub-shrub wetland located approximately 1,000' east of the site.



Above: NWI Map of the study area

Field observations

Uplands

The site consists of a rolling pasture landscape with a few scattered trees and clumps of shrub vegetation. The site has a high point on the east and a low point on the west. What appears to be an old farm road bed passes through the middle of the site from east to west and is most obvious in the center of the site where it forms a berm.

The majority of the site is a mowed pasture vegetated with orchard grass, tall fescue, bentgrass, cat's ear, and bracken fern. Scattered clumps of Himalayan blackberry, bitter cherry, as well as black hawthorne, various old fruit trees, douglas fir, and hazelnut are also located along the old road bed as well as the western portion of the pasture. Some old ornamental shrubs and plantings exist along Meridian which may possibly have been near an old home location.

The eastern perimeter of the site contains mature douglas fir along the edge of the site as well as indian plum, blackberry, salal and sword fern.

Several low spots on the site contain some marginal wetland vegetation including creeping buttercup. However, soil pits excavated within these areas revealed high chroma soils not indicative of wetland conditions.

Soil pits excavated in the upland portion of site were generally found to have dry, gravelly loam soils with soil colors of 10YR 3/3-3/4. Soils were found to be dry within the upper 16" during our winter season observations. Some areas with surface saturation were found that did not have hydric soils and were not classified as wetlands as a result.

Wetland A

The low point of the site is a low, north-south saddle like feature that is in the center of the site. As previously described, an earthen berm, which appears to be an old farm road, passes through the center of the site from east to west. This berm has blocked drainage to the south causing water to pond to the north of the berm and form a wetland, identified as "Wetland A".

Wetland A is an emergent wetland that was flagged with orange wire flags A1-A20. Wetland A is vegetated primarily with reed canary grass and some creeping buttercup and soft rush.

Soil pits excavated within the wetland reveled a gravelly loam soil with a color of 10YR 2/1-2/2 with redoximorphic features throughout the profile. The Wetland was inundated with up to 18" of surface water during our site visit. A small breech in the center of the berm allows surface water at a certain depth to drain out to the south. This water sheet flows to the south to 36th Street where it passes into a culvert under 36th and outlets at an unknown location. Although there is surface water in this area in the winter, it does not appear to be present long enough to create wetland conditions as there are no hydric soils in this area.

Using the US Fish and Wildlife Wetland Classification Method (Cowardin et al. 1979), this wetland would be classified as PEM1C.

Using the WADOE Wetland Rating system and rating the wetland as a depressional wetland, this wetland scored a total of 26 points with 6 for habitat. This indicates a Category IV wetland. Under City of Edgewood Municipal Code "Category IV wetlands have a 25' buffer measured from the wetland edge.

If you have any questions in regards to this report or need additional information, please feel free to contact me at (253) 859-0515 or at esewall@sewallwc.com.

Sincerely,

Sewall Wetland Consulting, Inc.

Ed Sewall

Senior Wetlands Ecologist PWS #212

Attached: Wetland Rating Forms

Wetland Data Forms

REFERENCES

Cowardin, L., V. Carter, F. Golet, and E. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Fish and Wildlife Service, FWS/OBS-79-31, Washington, D. C.

Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual, Technical Report Y-87-1. U. S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.

Muller-Dombois, D. and H. Ellenberg. 1974. Aims and Methods of Vegetation Ecology. John Wiley & Sons, Inc. New York, New York.

Munsell Color. 1988. Munsell Soil Color Charts. Kollmorgen Instruments Corp., Baltimore, Maryland.

National Technical Committee for Hydric Soils. 1991. Hydric Soils of the United States. USDA Misc. Publ. No. 1491.

Reed, P., Jr. 1988. National List of Plant Species that Occur in Wetlands: Northwest (Region 9). 1988. U. S. Fish and Wildlife Service, Inland Freshwater Ecology Section, St. Petersburg, Florida.

Reed, P.B. Jr. 1993. 1993 Supplement to the list of plant species that occur in wetlands: Northwest (Region 9). USFWS supplement to Biol. Rpt. 88(26.9) May 1988.


USDA NRCS & National Technical Committee for Hydric Soils, September 1995. Field Indicators of Hydric Soils in the United States - Version 2.1

Western Mountains, Valleys and Coast Regional Supplement (Version 2.0) dated June 24, 2010. USACOE

Washington State Wetlands Rating System for Western Washington Revised 2008.



36th Street Park Parcel



Parcel Number: 0420152006

Area: 784,080 square feet 18 acres



APPENDIX F EDGEWOOD WETLANDS RATING FORM* OFFICE DATA SECTION

Background Information:		
Name of Rater: Ed Sewill Affiliation	n: Date: _ ! -	-27-16
Application No./Case No.: Project Name:		
Project Location: 3811 Newdow	Parcel No.(s): 0 42	01520cg
Property Owner Name: C, Ay of Edge	wed	
Property Owner Address:		
Location: 1/4 Section of 1/4 Section, of Section, To	ownship, Range, W.M., Ed	gewood, WA
SOURCE OF INFORMATION: (Check all sources that apply	.)	
Site Visit: USGS Topo Map: NWI Map:	Aerial Photo: Soil Survey:	
Edgewood Inventory: Edgewood Drainage Map:		
When the Office and/or Field Data Forms are completed enter	category here:	
ANSWER ALL QUESTIONS BELOW. If the source agency identifies the wetland as satisfying any of the questions below, circle the category in "CATEGORY" column.	DATA SOURCE	CATEGORY (the highest qualifies)
Does the wetland contain federal- or state-listed threatened or endangered plant species; or, is the wetland a historic location of a plant species potentially extirpated from Washington?	DNR (Natural Heritage) U.S. Fish & Wildlife Service	Yes: Category I No: Next Question
Is the wetland associated with documented habitat for endangered or threatened plant, fish, or animal species or for potentially extirpated plant species recognized by state or federal agencies?	Wash. Dept. of Wildlife Wash. Dept. of Fisheries U.S. Fish & Wildlife Service	Yes: Category I No: Next Question
Is the wetland already on record with the Washington Natural Heritage Program as a high quality native wetland?	DNR (Natural Heritage)	Yes: Category I No: Next Question
Is the wetland documented as a Category I Wetland of Local Significance? (None currently designated.)	Local Government	Yes: Category INo: Next Question
Does the wetland contain sensitive plant species recognized by federal or state agencies?	DNR (Natural Heritage) U.S. Fish & Wildlife Service	Yes: Category II No: Next Question
Does the wetland contain documented habitats of sensitive fish species recognized by federal or state agencies?	Wash. Dept. of Wildlife Wash. Dept. of Fisheries U.S. Fish & Wildlife Service	Yes: Category II No. Next Question
Does the wetland contain priority species or habitats	Wash, Dept. of Wildlife	Yes: Category II(No: Next

documented by Washington Department of Wildlife's Priority Habitats and Species Program?		Question
Is the wetland documented as a Category II Wetland of Local Significance? (None currently designated.)	Local Government	Yes: Category II No: Go to Wetlands Rating F: Data Form
Is the wetland documented as a Category III Wetland of Local Significance? (None currently designated.)	Local Government	Yes: Category III No: Go to Wetlands Rating Field Data F

^{*}Adapted from Washington State Wetlands Rating System for Western Washington, Second Edition, August 1993 (publ. #93-74), developed by the Washington State Department of Ecology.

EDGEWOOD WETLANDS RATING FORM

FIELD DATA SECTION

Background information:						
Name of Rater: Zd	Send	Affiliation:	Sewell	Wet- G	Date of Field	1-17-16
Application No./Case No.:		Project Name	e:			
Project Location:	38/1	Murdin	Enst	I	arcel No.:	
Property Owner Name:	C.77	of Egu	und			
Property Owner Address:						

Location: 1/4 Section of 1/4 Section, of Section, Township, Range, W.M., Edgewood, WA	
SOURCE OF INFORMATION: (Check all sources that apply).	
Site Visit:USGS Topo Map:NWI Map:Aerial Photo:Soil Survey:	
Edgewood Inventory: Edgewood Drainage Map: Other:	
WHEN THE FIELD DATA FORM IS COMPLETE ENTER CATEGORY HERE:	
Q.1. High Quality Natural Heritage Wetland	Circle Answers
Answer this question if you have adequate information or experience to do so. If not, find someone with the expertise to answer the questions. Then, if the answer to questions 1a, 1b, and 1c are all NO, contact the Natural Heritage Program of DNR to determine if it qualifies as a Natural Heritage wetland.	
1a. Human-Caused Disturbances	
Is there significant evidence of human-caused changes to topography or hydrology of the wetland? Significant changes could include clearing, grading, filling, logging of the wetland or its immediate buffer, culverting, ditching, dredging, diking, or drainage of the wetland. Briefly describe the changes, their date of occurrence, and your information source(s):	Yes: Go to Q.3. No: Go to 1b.
1b. Are there populations of nonnative plants which are currently present and appear to be invading native populations? Briefly describe any nonnative plant populations and information source(s):	Yes: Go to Q.3. No: Go to 1c.
1c. Is there significant evidence of human-caused disturbance of the water quality of the system? Degradation of water quality could be evidenced by culverts entering the system, direct road/parking lot runoff, evidence of historic dumping of wastes, oily sheens, extreme eutrophic conditions, livestock use, or dead fish, etc. Briefly describe:	Yes: Go to Q.3 No: Possible Category I.

Q.2. Regionally Rare Native Wetland Communities

Edgewood has not yet developed any methodology for identifying regionally rare native wetland communities.

Q.3. Irreplaceable Ecological Functions

No to all: go to Q.4.

No: go to 3b3.

No: go to 3b5.

Yes: go to

3b4.

Does the wetland:	
have at least ½ acre of contiguous peat wetland;	Yes: go to 3a.
or, have a forested component > one acre in size;	Yes: go to 3b.
or, have characteristics of an estuarine system;	Yes: go to 3c.
or, have eel grass, floating or nonfloating kelp beds;	Yes: go to 3d.
or, have spring fed hydrology?	Yes: go to 3e.
3a. Peat Wetlands	
3a1. Does at least ½ acre of the contiguous peat wetland have < 25% areal cover of any combination of species from Table 1 in the List of Invasive/Exotic Species, and have < 80% areal cover of <i>Spiraea douglasii</i> ?	Yes: Category I No: go to Q.4.
3b. Forested Wetlands	
3b1. Is the forested wetland a monotypic stand of red alder or black cottonwood with an average dbh of less than 8 inches?	Yes: Category III No: go to 3b2.
3b2. Is the average age of dominant trees in the forested wetland > 80 years?	Yes: Category I

3b3. Is the average age of dominant trees in the forested wetland 50 to 80 years, AND is the

20 to 49 feet tall, shrubs, and herbaceous ground cover?

structural diversity high, as characterized by a multi-layer community of trees > 50 feet tall, trees

3b4. Is > 50% (areal cover) of the dominant plants in one or more layers (canopy, young trees, shrubs, and herbs) invasive/exotic plant species from the Table 1 list?

Yes: Category

П

No: Category

I

3b5. Does the forested wetland contain three canopy layers (trees over 20 feet tall, shrubs or saplings, and herbaceous ground covers)?

Yes: Category

П

No: go to Q.5.

3c. Estuarine Wetlands

3c1. Is the wetland listed as National Wildlife Refuge, National Park, National Estuary Reserve, Nat ural Area Preserve, State Park, or Educational, Environmental or Scientific Reserves designated under WAC 332-30-151?

Yes: Category

No: go to 3c2.

3c2. Is the wetland > 5 acres?

Yes: Category

aice

or, is the wetland 1 to 5 acres;

Yes: go to 3c3.

or, is the wetland < 1 acre?

Yes: go to 3c4.

3c3. Does the wetland meet at least 3 of the following 4 criteria:

Yes: Category I

No: Category

minimum existing evidence of recent (since 1992) human-related disturbance such as diking, ditching, filling, cultivation, grazing, or the presence of nonnative plant species (see guidance for definition);

surface water connection with tidal saltwater or tidal freshwater;

at least 75% of the wetland has a 100-foot buffer of ungrazed pasture, open water, shrub, or

forest;	
have at least 3 of the following features: low marsh, high marsh, tidal channels, lagoon(s), woody debris, or contiguous freshwater wetland?	
3c4. Does the wetland meet all of the 4 criteria under 3c3 above?	Yes: Category II
	No: Category III
3d. Eelgrass and Kelp Beds	
3d1. Are eelgrass beds present?	Yes: Category I No: go to 3d2.
3d2. Are there floating or nonfloating kelp bed(s) present with greater than 50% macro algal cover in the month of August or September?	Yes: Category I
	No: Category II
3e. Significant Spring Fed Wetland Systems	
3e1. Is the spring fed wetland system at least $\frac{1}{2}$ acre in size?	Yes: Category II (No: go to Q.4)
Q.4. Category II and IV Wetlands	
4a. Is the wetland associated with year-round or intermittent salmonid fish bearing waters? Briefly describe source of information:	Yes: Category II (No: go to 4b.)

4b. Is the wetland less than or equal to 1 acre in size, hydrologically isolated, and comprised of one Yes: Category wetland class that is dominated by one plant species (monotypic vegetation)?

Wetland name or number	1	L
Wetland name or number	//	1

WETLAND RATING FORM-WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accur Updated Oct 2008 with the new WD	FW definitions for priority habitats
Name of wetland (if known):	36 Date of site visit: 1-17-16
Rated by Send Trained by	Ecology? Yes_No_ Date of training
SEC: TWNSHP: RNGE: Is S/T/R in A	- -
Map of wetland unit: Figure	Estimated size <u>@ , 5</u> a C
SUMMARY O	F RATING
Category based on FUNCTIONS provided b	y wetland
<u>п_ п_ п_ гу </u>	
Category I = Score >= 70 Category II = Score 51-69 Category III = Score 30-50 Category IV = Score < 30	for Water Quality Functions ore for Hydrologic Functions Score for Habitat Functions OTAL score for Functions
Category based on SPECIAL CHARACTER	RISTICS of wetland
I Does not Apply	
Final Category (choose the "high	est" category from above)
Summary of basic information Wetlands Unit has Special	about the wetland unit
Characteristics	
	Depressional
	Riverine
 	Lake-fringe
	Slope

Old Growth Forest Flats Coastal Lagoon Freshwater Tidal Interdunal Check if unit has multiple None of the above HGM classes present

Wetland Rating Form - western Washington version 2 To be used with Ecology Publication 04-06-025 August 2004

				1	Δ
Vetland	name	or	number	•	J

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Cheek List for Weilands That May Need Additional Protection (the addition to the protection recommended for its enterory)	N0)
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?	. /
For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.	
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).	/
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?	
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.	

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are-the-water-levels in the entire unit usually controlled by tides (i.e. except during floods)? YES - the wetland class is Tidal Fringe NO - go-to-2

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES-Freshwater Tidal Fringe NO-Saltwater Tidal Fringe (Estuarine)

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO - go to 3

YES - The wetland class is Flats

If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.

- 3. Does the entire wetland unit meet both of the following criteria?
 - ___The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;

ATTeast 30% of the open water area is deeper than 6.6 ft (2 m)?

NO - go to 4

YES - The wetland class is Lake-fringe (Lacustrine Fringe)

- 4. Does the entire wetland unit meet all of the following criteria?
 - The wetland is on a slope (slope can be very gradual),
 - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 - The water leaves the wetland without being impounded?
 - NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually \leq 3ft diameter and less than 1 foot deep).

10 - go to 5,

YES - The wetland class is Slope

Wetland Rating Form - western Washington

- 5. Does the entire wetland unit meet all of the following criteria?
 - The unit is in a valley, or stream channel, where it gets inundated by overbank

flooding from that stream or river

The overbank flooding occurs at least once every two years.

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6) YES - The wetland class is Riverine

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. This means that any outlet, if present, is higher than the interior of the wetland

NO - go to 7

YES - The wetland class is Depressional

7. Is the entire wetland unit-located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

YES - The wetland class is Depressional NO - go to 8

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

IEGM(Classes within the wettendrupit/beingmated	# HGMClass to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland name or number

D.	Depressional and Plats Wetlands WATER QUARTY FUNCTIONS - Industris that the wetland unit timestons to improve vister quality.	Points (ont-it seed (althou)
D	D 1. Does the wetland unit have the potential to improve water quality?	(see p.38)
	D 1.1 Characteristics of surface water flows out of the wetland:	Figure
D	Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet (points = 2) Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1	>
	Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch points = 1	
	(If ditch is not permanently flowing treat unit as "intermittently flowing") Provide photo or drawing	2
	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS	
$ \mathbf{D} $	definitions) YES points = 4	_
"	YES points = 4 NO points = 0	6
	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class)	Figure
$ _{\mathbf{D}}$	Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5	
שן	Wetland has persistent, ungrazed, vegetation >= 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation >= 1/10 of area points = 1	
	Wetland has persistent, ungrazed vegetation <1/10 of area points = 0	_
	Map of Cowardin vegetation classes	0
	D1.4 Characteristics of seasonal ponding or inundation.	Figure
D	This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate	
	area as the average condition 5 out of 10 yrs.	
	Area seasonally ponded is > ½ total area of wetland points = 4	
1	Area seasonally ponded is > 1/4 total area of wetland points = 2	()
	Area seasonally ponded is < 1/4 total area of wetland points = 0 Map of Hydroperiods	7
D	Total for D 1 Add the points in the boxes above	6
$\overline{\mathbf{D}}$	D 2. Does the wetland unit have the opportunity to improve water quality?	(see p. 44)
	Answer YES if you know or believe there are pollulants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or	
	groundwater downgradient from the wetland. Note which of the following conditions	
	provide the sources of pollutants. A unit may have pollutants coming from several	
	sources, but any single source would qualify as opportunity.	
	— Grazing in the wetland or within 150 ft	
İ	Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland	
	A stream or culvert discharges into wetland that drains developed areas, residential areas,	
	farmed fields, roads, or clear-out logging	
	Residential, urban areas, golf courses are within 150 ft of wetland Wathend is first by a residential birth in absorb rate of a riterace.	multiplier
	Wetland is fed by groundwater high in phosphorus or nitrogen Other	7
	YES multiplier is 2 NO multiplier is 1	
D	TOTAL Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	12



D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the Wetland unit functions to reduce flooding and stream degradation.	Points (only! score pec box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet (points = 2) Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	7_
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5	
	Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water Marks of ponding less than 0.5 ft points = 0	3
D	D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit The area of the basin is no to 100 times the area of the unit The area of the basin is more than 100 times the area of the unit points = 3 Entire unit is in the FLATS class points = 5	3
D	Total for D3 Add the points in the boxes above	\$
D	D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. Note which of the following indicators of opportunity apply. — Wetland is in a headwater of a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems	(see p. 49)
	Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems	multiplier
	— Other	
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 Add score to table on p. 1	8


Wetland name or number

These questions apply to weillands of all li HABITAT FUNCTIONS - Indepose that and fur		hebitati	Points (cally it seems (cally it seems
H 1. Does the wetland unit have the potential to	o provide habitat for many	species?	
H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as declass is 4 agre or more than 10% of the area if use the class is 4 agre or more than 10% of the area if use the class is 4 agre or more than 10% of the area if use the class is 5 class is 4 agre or more than 10% of the area if use the class where the class have >30% of the unit has a forested class check if: The forested class has 3 out of 5 strata (class class is 3 out of 5 strata (class class class is 3 out of 5 strata (class class cla	fined by Cowardin)-Size thresh nit is smaller than 2.5 acres. 10% cover) over)	old for each	Figure
moss/ground-cover) that each cover 2			1
Add the number of vegetation structures that qualify Map of Cowardin vegetation classes	7. If you have: 4 structures or more 3 structures 2 structures	points = 4 points = 2 points = 1	
	1 structure	points = 0	18
H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods regime has to cover more than 10% of the wetlan descriptions of hydroperiods) Fermanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or Seasonally flowing stream in, or adjacent	4 or more types present 3 types present 2 types present 1 type present	for	Figure
Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	Map of hydr	operiods	B
H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetlan of the same species can be combined to meet the You do not have to name the species. Do not include Eurastan Mitfoll, reed canan If you counted: List species below if you want to:	e size threshold)		
			0

Total for page _____

Wetland Rating Form - western Washington 13 version 2 Updated with new WDFW definitions Oct, 2008 August 2004

Wetland name or number



Comments

Wetland Rating Form - western Washington 14 version 2 Updated with new WDFW definitions Oct. 2008 August 2004

Wetland name or number A

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
H 2.1 Buffers (see p. 80)	Figure
Choose the description that best represents condition of buffer of wetland unit. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."	
— 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer, (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5 — 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 — 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 — 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 3	
 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3	
If buffer does not meet any of the criteria above	
 No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. No paved areas or buildings within 50m of wetland for >50% circumference. 	
Light to moderate grazing, or lawns are OK. Points = 2	
- Heavy grazing in buffer. Points = 1	l i
- Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g., tilled	
fields, paying, basalt bedrock extend to edge of wetland $Points = 0$.	
- Buffer does not meet any of the criteria above. Points = 1	2
Aerial photo showing buffers	~
H 2.2 Corridors and Connections (see p. 81)	1
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest	
or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed	
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel	
roads, paved roads, are considered breaks in the corridor).	
YES = 4 points (go to $H 2.3$) NO = go to $H 2.2.2$	1
H 2,2.2 Is the wetland part of a relatively undisturbed and unbroken-vegetated corridor	
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	}
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25	
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in	1 [
the question above?	
YES = 2 points (go to $H 2.3$) NO = $H 2.2.3$	
H 2.2.3 Is the wetland:	
within 5 mi (8km) of a brackish or salt water estuary OR	
within 3 mi of a large field or pasture (>40 acres) OR	1 1
within 1-mi-of-a-lake greater than 20 acres?	/
YES = 1 points NO = 0 points	<u> </u>

Total for page______

August 2004

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian: The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources,	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report; pp, 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife, Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	0
list. Nearby wetlands are addressed in question H 2.4)	_

16

Wetland name or number


3 H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within 1/2 mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within 1/2 mile points = 5There are at least 3 other wetlands within 1/2 mile, BUT the connections between them are. disturbed (points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringepoints = 3wetland within 1/2 mile points = 2 There is at least 1 wetland within 1/2 mile. points = 0 There are no wetlands within 1/2 mile. 3 H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4 TOTAL for H 1 from page 14 0 Total Score for Habitat Functions - add the points for H1, H2 and record the result on

Wetland name or number

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.


Wetland Type Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.	Category
SC 1.0 Estuarine wetlands (see p. 86) Does the wetland unit meet the following criteria for Estuarine wetlands?	
- The dominant water regime is tidal, - Vegetated, and - With a salinity greater than 0.5 ppt. YES = Go to SC 1.1 NO	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? YES = Category I NO = Category II	Cat. I
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native Spartina spp. are the only species that cover	Cat, II
more than 10% of the wetland, then the wetland should be given a dual	Dual
rating (I/II). The area of Spartina would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of Spartina in determining the size threshold of 1 acre. At least 34 of the landward advantage of the purtland has a 100 ft buffer of	rating I/II
 At least 34 of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland has at least 2 of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. 	



SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D or accessed from WNHP/DNR web site YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? YES = Category I not a Heritage Wetland	Cat. I
SC 3.0 Bogs (see p. 87)	
Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions. 1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the	
soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3	
Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake of pond?	
Yes - go to Q. 3 No - Is not a bog for purpose of rating	ノ
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
Yes – Is a bog for purpose of rating No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	Cat. I

Wetland name or number

— At least 3/4 of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	
cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).	
— The wetland is relatively undisturbed (has no diking, ditching, filling,	
SC 5.1 Does the wetland meets all of the following three conditions?	
saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO not a wetland in a coastal lagoon	
shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains surface water that is	
 The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, 	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
in old-growth. YES = Category I NOhot a forested wetland with special characteristics	Cat. I
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found	
because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh	
Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more.	
the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the welland based on its functions.	
Does the wetland unit have at least 1 acre of forest that meet one of these criteria for	



SC 6.0 Interdunal Wetlands (see p. 93)				
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland				
Ownership or WBUO)?				
YES - go to SC 6.1 NOnot an interdunal wetland for rating				
If you answer yes you will still need to rate the wetland based on its				
functions.				
In practical terms that means the following geographic areas:				
 Long Beach Peninsula- lands west of SR 103 				
Grayland-Westport-lands west of SR 105				
Ocean Shores-Copalis- lands west of SR 115 and SR 109				
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?				
$YES = Category II \qquad NO - go to SC 6.2$	Cat. II			
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?	Caun			
YES = Category III	Cat. III			
Category of wedend based on Special Characteristics	11/2			
Choose the "Inghest" rating if well and falls tuto several outsgortes, and record on	PVA			
p l				
If you answered MO for all types enter "Not Applicable" on p I				

ovale south of wether A

Western Mountains, Valleys, and Coast - Interim Version

	WETLAND DE	TERMINATION DA	TA FORM	V - West	ern Mou	ntains, Valleys, and	d Coast Region	
Project/Site:	364	Porh		City/County:	200	enecd	Sampling Date:	-17-1
Applicant/Owne	r:					State: WH	Sampling Point:	DP #
Investigator(s):	20	Sewall		Section, Toy	vnship, Ra	nge:		
Landform (hills	ope, ferrace, etc.):			Local relief	(concave,	convex, none);	Slope	(%):
Subregion (LR)			Lat			Long:	Datum:	
		rocel + Ka	DOWS	124		NWI classific	ation:	
Are climatic / h	drologic conditions	on the site typical for this	s time of yea	ar? Yes	✓ _{No}	(If no, explain in F	lemarks.)	_
		or Hydrologys				Normal Circumstances"		No
		or Hydrologyn				eded, explain any answe		
					n notrit k	ocations, transects	Important fast	troe oto
SOMINAKI	OF FINDINGS			paniping	ponter	ocadons, transect	i importanti teati	7 000
	egetation Present?		مرسب	18 th	Sampled	Area		
Hydric Soll Pr		YesN	0		n a Wetlar	nd? Yes	No	1
Remarks:	ology Present?	YesN				<u></u>		
IVertience.	Mowed	pasture	_]
÷								
VEGETATIO	N - Use scien	tific names of plan	its.					
- A				Dominant		Dominance Test work	(sheet:	
	(Plot size:			Species?		Number of Dominant S That Are OBL, FACW.	pecies 2_	(A)
							· · · · · · · · · · · · · · · · · · ·	- (^)
						Total Number of Domin Species Across All Stra	iant	(B)
						Percent of Dominant S		
	الانتساء فالسا	;		▼ Total Co	/er	That Are OBL, FACW.	or FAC:	(A/B)
	Stratum (Plot size);)				Prevalence Index wor		
							Multiply b	v-
							x1=	
						FACW species	x2=	
5						FAC species		
Uarh Stratum	(Plot size:	,		= Total Co	/er	FACU species		
1 50	stuca as	Library	50		FIC	UPL species Column Totals:		
2. P.	noncelus	repris	50		FALL	/		
							= B/A =	
4	······································			,		Hydrophytic Vegetati		
						Dominance Test is Prevalence Index		
								modina.
						Morphological Ada data in Remark		eet)
						Wetland Non-Vesc		1
	.,					Problematic Hydro		
11						¹ Indicators of hydric so be present, unless dist	il and wettand hydroic urbed or problematic.	gy must
Mahalas na i s	Phonleins Police als			# Total Cov	er			
	itratum (Plot size;					Hydrophytic		ļ
2.						Vegetation		ļ
		•		= Total Cov	er	Present? Ye	No	-
% Bare Grou	nd In Herb Stratum					L		
Remarks:								ŀ
l								

Type: C=Concentration, D=Depletion, RM=F lydric Soll indicators: (Applicable to all L	Reduced Matrix, CS=Covered or Coated Sand Gra RRs, unless otherwise noted.)	ins. ² Location: PL=Pore Lining, M=Matrix, Indicators for Problematic Hydric Solis ³ :
	Sandy Redox (85) Stripped Matrix (88) Loamy Mucky Mineral (F1) (except MLRA 1) Loamy Gleyed Matrix (F2) Depleted Matrix (F3)	2 cm Muck (A10) Red Parent Meterial (TF2) Other (Explain in Remarks)
Sandy Mucky Minerel (S1) Sandy Gleyed Matrix (S4)	Redox Dark Surface (F6) Depleted Dark Surface (F7) Redox Depressions (F8)	³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.
lestrictive Layer (if present): Type:		
Depth (Inches):		Hydric Soil Present? Yes No No
70	ibduck 1	
YDROLOGY		
Vetland Hydrology Indicators:		
rimary indicators (minimum of one required;	check all that apply)	Secondary Indicators (2 or more required)
Surface Water (A1)	Water-Stained Leaves (B9) (except MLF	Vater-Stained Leaves (B9) (MLRA 1,
High Water Table (A2)	1, 2, 4A, and 4B)	4A, and 4B)
Saturation (A3)	Salt Crust (B11)	Drainage Patierns (B10)
Water Marks (B1)	Aqualic Invertebrates (B13)	Dry-Season Water Table (C2)
Sediment Deposits (B2)	Hydrogen Sulfide Odor (C1)	Saturation Visible on Aerial Imagery (C
Drift Deposits (B3)	Oxidized Rhizospheres along Living Roo	ts (C3) Geomorphic Position (D2)
Algel Met or Crust (B4)	Presence of Reduced Iron (C4)	Shallow Aquitard (D3)
Iron Deposits (B6)	Recent Iron Reduction in Tilled Solls (C6	
Surface Soil Cracks (B6)	Stunted or Stressed Plants (D1) (LRR A)	
Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B)	Other (Explain in Remarks)	Frost-Heave Hummocks (D7)
field Observations:		and the second of the second
Surface Water Present? YesN	o Depth (inches):	
Valer Table Present? Yes N	o Depth (inches);	
		and the second s
includes capillary fringe)		and Hydrology Present? Yes No
includes capillary fringe)	o Depth (inches); Wetter hitoring well, serial photos, previous inspections),	
includes capillary fringe)		
includes capillary fringe) Describe Recorded Data (stream gauge, mor		
includes capillary fringe) Describe Recorded Data (stream gauge, mor	nitoring well, serial photos, previous inspections),	if available;

US Army Corps of Engineers

SOIL

wetA

36	44 F	om h		City	*aualu	52000	ecd	Same	llag Dains	1-17-
roject/Sile: 5 U	i. #.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		City/	Journey.		State: W	A Same	dina Daint	Db井
pplicant/Owner:	5 9	Sewa	II	Čini	or Tour			Charles Complete	ang ronte "	7.1
nvestigator(s): andform (hillslope, terra		~~	4	JBUI	destrates	HIND LOUISE. "			Olas	a 16th
	104* 610:1: "						g:			
ubregion (LRR): oli Map Unit Name:	1 4 4 146	-11	Kan A.	4 5 5 4	•		yNWI cla			
Map Unit Name: _/C	712000				· \		(if no, explain			****
re climatic / hydrologic	econditions on	the site typical	for this time o	i year?	(64	_ NO				No
e Vegetation,							al Circumstanc			NO
e Vegetation						-	, explain any a			
UMMARY OF FIN	idings - /	Attach site	map show	ing sar	npling j	oint locat	ions, transi	ects, imp	ortant fe	atures, etc
Hydrophylic Vegetalion Hydric Sell Present? Welland Hydrology Pre Remarks.		Yes Yes Yes Past	No No No		within :	ampled Area Wetland?			No	
EGETATION U	se scientifi	c names of					(
	·····		Abso		minant In		ninance Test	worksheet		
Tree Stratum (Plot st					ecies? .S	1301	nter of Domini		7	(A)
•						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	t Are OBL, FA	CW, or FAC	:	(A)
							al Number of D cies Across Al	thenimo	~	(B)
·									,Em	
					olal Cover		cent of Domina A Are OBL, FA			(A/B)
Sapling/Shrub Strature)							
l							valence Index Total % Cove			. hu
									x1=	
i.							DW species			
*• 				talence principle			Species			
·•			·	× T	otal Cover		OU species			
Herb Stratum (Plot si)	F		L species		x5=	
		drac	ec 80	, ,		Col	umn Totals;	-,4,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(A)	(B)
Thine	ع عدار	repres			1	au	Prevelence I	aday a BI		
·							pophytic Veg	otation Ind	leafors:	
•							Dominance T			
·							Prevalence In			
							Morphologica dala in Re			supporting
·										sheet)
)							Wetland Non-			in alata
10							Problematic Hi dicators of hydr			
11,		· · · · · · · · · · · · · · · · · · ·				be	present, unless	disturbed:	or problema	ic.
Woody Vine Stratum	(Dial river	ā		#To	ital Cover	-				
vvoody vine Stratum						84u	drophytic			
1, 2						Ve	getation			
					tal Cover	Pre	sent?	Y#8	No	
% Bare Ground in Her					mai contei	1				

	Metrix or (moist) %	Color (moist) % Type	Loc Texture Remarks
	12713	- cm/	03V
10 10			
			and the second s
		-	and the second s

	,		Vanish and the second of the s
Type: C=Concentra	tion, D=Depletion, RM	A=Reduced Matrix, CS=Covered or Conted	Sand Grains. *Location: PL=Pore Lining, M=Matrix,
		l LRRs, unless otherwise noted.)	Indicators for Problematic Hydric Solis ³ :
Histosol (A1)		Sandy Redox (S5)	2 cm Muck (A10)
Histic Epipedon		Stripped Matrix (S6)	Red Parent Material (TF2)
Black Histic (A3)		Loamy Mucky Mineral (F1) (except)	WLRA 1) Other (Explain in Remarks)
Hydrogen Sulfide	e (A4) Derk Surface (A11)	Loamy Glayed Matrix (F2) Deplated Matrix (F3)	
Depleted Selow Thick Dark Surfe		Redox Dark Surface (F6)	⁴ Indicators of hydrophytic vegetation and
Sandy Mucky Mi	neral (S1)	Depleted Dark Surface (F7)	wetland hydrology must be present.
Sandy Gleyed M		Redox Depressions (F8)	unless disturbed or problematic.
Restrictive Layer (il			
Туре:			
Depth (inches):			Hydric Boll Present? Yes No
Remarks:	**************************************	**************************************	
YDROLOGY			
Wetland Hydrology			
		ed; check all that apply)	Secondary Indicators (2 or more required)
Surface Water (Water-Stained Leaves (B9) (ex	
High Water Tabl	e (A2)	1, 2, 4A, and 4B)	4A, and 4B)
Saluration (A3)		Sell Grust (B11)	Drainage Patiens (B10)
Water Marks (B		Aquatic Invertebrates (B13)	Dry-Season Water Table (C2)
Sediment Depo:		Hydrogen Sulfide Odor (C1)	Saturation Visible on Aerial Imagery (CS
Drift Deposits (8		Oxidized Rhizospheres plong L	
Algel Mat or Cru		Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled	
Iron Deposits (8			
Surface Soil Cra		Sturried or Stressed Plants (D1 Other (Explain in Remarks)	Frost-Heave Hummocks (D7)
	ie on Aerial Imagery (i ited Concave Surface		Prost-Deave Untillipocks (D1)
Field Observations		(60)	, , , , , , , , , , , , , , , , , , ,
		No Depth (Inches):	
Surface Water Prese	mr les	No Deput (Rottes):	-
Water Table Present		No Depth (Inches):	Wetland Hydrology Present? Yes No
Saturation Present? (includes capillary fri	nge)	No Depth (Inches):	
Describe Recorded I	Dala (stream gauge, n	nonitoring well, serial photos, previous insp	ections), it available;
Remarks:			
	Impun	ded by old	rend bed/burn
	" por		
	-		

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

US Army Corps of Engineers Western Mountains, Valleys, and Coast - Interim Version

US Army Corps of Engineers

SOIL

Western Mountains, Valleys, and Coast - Interim Version

WE	TLAND DE					ıtalns, Valleys, ar		
roject/Site: 3	6th	Porh		City/County:	205	eviced	_ Sampling Date:	-11-
plicant/Owner:						State: WM	Sampling Point:	D PI
estigator(s):	20	Sewall		Section, Toy	vnship, Ren	de		· · · · · · · · · · · · · · · · · · ·
ndform (hillslope, te	errace, etc.):_	,		Local relief	(concave, c	onvex, none):	Slope	(%):
bregion (LRR)			Lat			Long:	Datum:	
II Man Unit Name:	Aldur	reed + K	GOOWS	17.4		NWI classif	ication:	
e Vegetation e Vegetation	_, Solf	, or Hydrology , or Hydrology	_ significantly _ naturally pro	disturbed? oblematic?	Are "I (If ne	(If no, explain in Normal Chrumstances' aded, explain any answ ocations, transect	present? Yes	No
hydrophytic Vegeta fydric Solf Presenti Welland Hydrofogy Kemarks.	?	Yes Yes Yes	No No		s Sampled n a Wetlan		No	
GETATION	Úse scient	ific names of pl						~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
ree Stretum (Plot	size:)		Dominant Species?		Dominance Test wor Number of Dominant	December -	
· 				·		That Are OBL, FACW	or FAC:	(A)
						Total Number of Dom		
						Species Across All St	rala:	(B)
		:)		# Total Cov	/er	Percent of Dominant That Are OBL, FACW	Species , or FAC:	(A/B)
		•				Prevalence Index wo	rksheet:	
						Total % Cover of	Multiply b	¢
							x1=	
							x2=	
						FAC species	x3¤	
				" Total Co	/er	FACU species	X4#	
lerb Stretum (Plot	size:				1001	UPL species	x5=	
Hach	115 g	lungh	$-\frac{DD}{2}$	· 	1	Column Totals:	(A)	(B)
	ا نی است	edicat		• • • • • • • • • • • • • • • • • • • •		- manustana sa iki	x = B/A =	
·						Hydrophytic Vegeta	X = BXA =	
		······································				Dominance Test		
		······································				Prevalence Index		
		·····				Morphological Ad	laptations (Provide su	pportling
		······································				dala in Remar	ks or on a separate sh	eet)
						Wetland Non-Ves		
							rophytic Vegetation ¹ (E	
		*****************				Indicators of hydric s	oll and wetland hydroic sturbed or problematic.	gy must
				= Total Cov	er.	no bieseir, niiuss dis	nuncu ui promemanc.	
·		***************************************				Hydrophytic Vegetation	_	
·						Present? Y	'88 No	
6 Bare Ground in H	larh Stratum			_= Total Cov	er			_
emarka:	(arh sharry)						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·*····································
ANTINITIO.								

US Army Corps of Engineers

Western Mountains, Valleys, and Coast - Interim Version

	oth needed to document the indicator or confi		idators.)
epth Matrix nches) Color (moist) %	Redox Features Color (moist) % Type* Loc*	Texture	Remarks
18 104N-3/4		95V	
	-	-	
	n printeriorista describer de la constanta d		
A Commission De Contains De	M≭Reduced Matrix, CS=Covered or Coated Sand	Och Zii	PL=Pore Lining, M=Matrix.
dric Soil Indicators: (Applicable to al		Indicators for	Problematic Hydric Solis*:
Histosol (A1)	Sandy Redox (S5)	2 cm Much	(A10)
Histic Epipedon (A2)	Stripped Matrix (S6)		t Material (TF2)
_ Black Histic (A3)	Loamy Mucky Mineral (F1) (except MLRA	1) Other (Exp	lain in Remarks)
Hydrogen Sulfide (A4)	Loamy Gleyed Matrix (F2)		
Depleted Below Dark Surface (A11)	Depleted Matrix (F3)	\$4314.4	
_ Thick Dark Surface (A12) _ Sandy Mucky Mineral (S1)	Redox Dark Surface (F6) Depleted Dark Surface (F7)		ydrophytic vegetation and Irology must be present,
Sandy Gleved Matrix (S4)	Redox Depressions (F8)		rbed or problematic.
strictive Layer (if present):	Trook Dept database (t. 6)	000000000000000000000000000000000000000	and of brostauron
Тура:			
The first the state of the stat			
Coult Harback		Muddle Bell Drees	mt2 Var. No.
Depth (Inches); emarks:	indicates	Hydric Soil Press	nt? Yes No
emarks:	indicates	Hydric Soil Press	nt? Yes No No
amarks:	indicates	Hydric Soil Prose	nt? Yes No
onerks: DROLOGY objend Hydrology Indicators:			
merks: DROLOGY Elfand Hydrology Indicators: Imary Indicators (minimum of one requin	ed; check all that apply)	Seçondary	nslicatora (2 or more required)
DROLOGY Billand Hydriblogy Indicators: Imary Indicators (minimum of one requin _ Surface Water (A1)	ed; check all that apply) Water-Stained Leaves (B9) (except &	Secondary I	nsicators (2 or more required) bisined Leaves (89) (MLRA 1, 2
DROLOGY bifend Hydridogy Indicators: Imary Indicators (minimum of one require Surface Water (A1) High Water Table (A2)	ed; check all that apply) Water-Stained Leaves (B9) (except N	Secondary I	nsicators (2 or more required) Stained Leaves (69) (MLRA 1, 2 and 48)
DROLOGY bitend Hydristogy Indicators: Imary Indicators (minimum of one require Surface Water (A1) High Water Table (A2) Saturation (A3)	red: check all that apply) Water-Stained Leaves (B9) (except & 1, 2, 4A, and 4B) Selt Crust (B11)	Secondary I	nsicators (2 or more required) Island Leaves (B9) (MLRA 1, 2 and 4B) a Patterns (B10)
DROLOGY eliend Hydrology Indicators: Imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)	ed; check all that apply) Water-Stained Leaves (B9) (except N	Secondary I	nsicators (2 or more required) Stained Leeves (59) (MLRA 1, 2 and 4B)
DROLOGY elfand Hydriblogy Indicators: imary Indicators (minimum of one requir Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	ed: check all that apply) Water-Stained Leaves (B9) (except & 1, 2, 4A, and 4B) Selt Crust (B11) Aquatic Invertebrates (B13)	Secondary I BLRA Water-S 4A, i Drainag Dry-Sec Satural	nsicators (2 or more required) Stained Leaves (B9) (MLRA 1, 2 and 4B) & Patterns (B10) sson Water Table (C2) on Visible on Aerial Imagery (C5
marks: DROLOGY elfand Hydrology Indicators: imary Indicators (minimum of one require Surface Water (A1) High Water Table (A2) Saluration (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	ed: check all that apply) Water-Stained Leaves (B9) (except to the content of th	Secondary I BLRA Water-S 4A, I Drainag Dry-Set Saturall doots (C3) Geomo	nsicators (2 or more required) stained Leaves (B9) (MLRA 1, 2 and 4B) a Patterns (B10) son Water Table (C2) on Visible on Aerial Imagery (Ci
DROLOGY ollend Hydrology Indicators: imery indicators (minimum of one require Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	ed; check all that apply) Water-Stained Leaves (B9) (except in 1, 2, 4A, and 4B) Selt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4) Recent Iron Reduction in Titled Soils a	Secondary I ILRA Water-S 44, 1 Drainag Dry-Ses Saturati toots (C3) Geomo Shallow C6) FAC-Ne	nsicators (2 or more required) Italned Leaves (69) (MLRA 1, 2 and 4B) & Patterns (610) son Water Table (C2) on Visible on Aerial Imagery (Ci phile Position (D2)
DROLOGY elfend Hydrelogy Indicators: imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	ed; check all that apply) Water-Stained Leaves (B9) (except in 1, 2, 4A, and 4B) Sait Crust (B11) Aqualic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4)	Secondary I ILRA Water-S 44, 1 Drainag Dry-Ses Saturati toots (C3) Geomo Shallow C6) FAC-Ne	nsicators (2 or more required) Italned Leaves (69) (MLRA 1, 2 and 4B) a Patterns (610) son Water Table (C2) on Visible on Aerial Imagery (Ci phile Peatition (D2) Aquitard (D3)
DROLOGY biland Hydrology Indicators: imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Aigal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Introdation Visible on Aerial Imagery (I	ed: check all that apply) Water-Stained Leaves (B9) (except in 1, 2, 4A, and 4B) Selt Crust (B11) Aqualic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Ritospheres along Living F Presence of Reduced fron (C4) Recent fron Reduction in Titled Soils (Sturied or Stressed Plants (D1) (LRR (B7)) Other (Explain in Remarks)	Secondary I BLRA Water-S 4A, I Drainag Dry-Sec Satural Goots (C3) Geomo Shallow C6) FAC-Ne A) Raised	nsicators (2 or more required) italned Leavas (B9) (MLRA 1, 2 and 4B) a Patterns (B10) son Water Table (C2) on Visible on Aerial Imagery (Cs phile Position (D2) rduitard (D3)
DROLOGY bitend Hydrology Indicatores: Imary Indicators (Indicators (Indicator	ed: check all that apply) Water-Stained Leaves (B9) (except in 1, 2, 4A, and 4B) Selt Crust (B11) Aqualic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Ritospheres along Living F Presence of Reduced fron (C4) Recent fron Reduction in Titled Soils (Sturied or Stressed Plants (D1) (LRR (B7)) Other (Explain in Remarks)	Secondary I BLRA Water-S 4A, I Drainag Dry-Sec Satural Goots (C3) Geomo Shallow C6) FAC-Ne A) Raised	nsicators (2 or more required) Italined Leaves (B9) (MLRA 1, 2 and 4B) a Patitans (B10) son Waler Table (C2) on Visible on Aerial Imagery (Ci phile Peatition (D2) Aquitard (D3) Attiful Test (D5) Ant Mounds (D6) (LRR A)
DROLOGY etiend Hydrology Indicators: Imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Introdation Visible on Aerial Imagery (I Sparsety Vegetated Concave Surface etid Observations:	ed: check all that apply) Water-Stained Leaves (B9) (except & 1, 2, 4A, and 4B) Selt Crust (B11) Aquatic invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (Stunied or Stressed Plants (D1) (LRR Other (Explain in Remarks)	Secondary I BLRA Water-S 4A, I Drainag Dry-Sec Satural Goots (C3) Geomo Shallow C6) FAC-Ne A) Raised	nsicators (2 or more required) Italined Leaves (B9) (MLRA 1, 2 and 4B) a Patitans (B10) son Waler Table (C2) on Visible on Aerial Imagery (Ci phile Peatition (D2) Aquitard (D3) Attiful Test (D5) Ant Mounds (D6) (LRR A)
DROLOGY otland Hydrology Indicators: imary Indicators (minimum of one require Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Seil Cracks (B6) Inundation Visible on Aerial Imagery (i Sparsely Vegetated Concave Surface eld Observations:	ed; check all that apply) Water-Stained Leaves (B9) (except is 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4) Recent Iron Reduction in Titled Soils (Struited or Stressed Plants (D1) (LRF) (B8)	Secondary I RLRA Water-S 4A, I Drainag Dry-Set Satural toots (C3) Geomo Shallow C6) FAC-Ne A) Raised Frost-H	nsicators (2 or more required) stained Leaves (89) (MLRA 1, 2 and 48) eson Water Table (C2) eson Water Table (C2) on Visible on Aerial Imagery (C4 phile Position (D2) Aquillard (D3) stirul Test (D5) Ant Mounds (D6) (LRR A) eave Hummocks (D7)
DROLOGY otland Hydrology Indicators: imary Indicators (minimum of one require Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Seil Cracks (B6) Inundation Visible on Aerial Imagery (i Sparsely Vegetated Concave Surface eld Observations:	ed; check all that apply) Water-Stained Leaves (B9) (except is 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4) Recent Iron Reduction in Titled Soils (Struited or Stressed Plants (D1) (LRF) (B8)	Secondary I RLRA Water-S 4A, I Drainag Dry-Set Satural toots (C3) Geomo Shallow C6) FAC-Ne A) Raised Frost-H	nsicators (2 or more required) stained Leaves (89) (MLRA 1, 2 and 48) eson Water Table (C2) on Visible on Aerial Imagery (Ci phile Position (D2) Aquillard (D3) Minul Test (D5) Ant Mounds (D6) (LRR A) eave Hummocks (D7)
DROLOGY Bland Hydrology Indicators: imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algel Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B8) Inundation Visible on Aerial Imagery (i Sparsely Vegetated Concave Surface eld Observations: urface Water Present? Ves Intradio Prosent? Sater Table Present? Ves Intradion Prosent? Service Surface Intradion Prosent? Service Surface Surface Surface Surface Surface Surface Vegetators: Ves Sparsely Vegetators Surface Veget	ed: check all that apply) Water-Stained Leaves (B9) (except & 1, 2, 4A, and 4B) Selt Crust (B11) Aquatic invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living F Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (Stunied or Stressed Plants (D1) (LRR Other (Explain in Remarks)	Secondary I H.RA Water-S 4A, 1 Drainag Dry-Ses Saturell toots (C3) Geomo Shallow C6) FAC-N A) Raïsed Frost-H otland Hydrology Pres	nsicators (2 or more required) stained Leaves (89) (MLRA 1, 2 and 48) eson Water Table (C2) eson Water Table (C2) on Visible on Aerial Imagery (C4 phile Position (D2) Aquillard (D3) stirul Test (D5) Ant Mounds (D6) (LRR A) eave Hummocks (D7)
DROLOGY offend Hydrology Indicators: imary Indicators (minimum of one requin Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algel Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B8) Inundation Visible on Aerial Imagery (i Sparsely Vegetated Concave Surface leid Observations: urface Water Present? fater Table Present? ves Intudes capitary fringe)	red: check all that apply) Water-Stained Leaves (B9) (except in 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres slong Living F Presence of Reduced fron (C4) Recent fron Reduction in Titled Soils (Stunded or Stressed Plants (D1) (LRR D1) (B8) No Depth (inches): No Depth (inches): No Depth (inches):	Secondary I H.RA Water-S 4A, 1 Drainag Dry-Ses Saturell toots (C3) Geomo Shallow C6) FAC-N A) Raïsed Frost-H otland Hydrology Pres	nsicators (2 or more required) stained Leaves (89) (MLRA 1, 2 and 48) eson Water Table (C2) eson Water Table (C2) on Visible on Aerial Imagery (C4 phile Position (D2) Aquillard (D3) stirul Test (D5) Ant Mounds (D6) (LRR A) eave Hummocks (D7)

US Army Corps of Engineers

Western Mountains, Valleys, and Coast - Interim Version

roject/Site: 36	ron	City/C	ounty: 285	evoca	Sampling Date: 1-17
pplicant/Owner:				State: W	1 Sampling Point:
vestigator(s):	Sewall	Section	m, Township, Ra	nge:	
ndform (hillslope, terrace, etc.)		Local	relief (concave,	convex, none):	Slope (%):
bregion (LRR)					Datum:
I Map Unit Name: A Ldu	wordt Kay	OWSIN			sification:
climatic / hydrologic eondition	s on the site typical for this	time of year? Y	es W _{No}	(If no, explain i	n Remarks.)
Vegetation, Soil	or Hydrology 🗸 sig	inificantly distur	ped? Are	Normal Circumstance	s* present? Yes No
Vegetation Soil				eded, explain any ans	
				•	
IMMARY OF FINDINGS	- Attach site map s	nowing sam	thing boint i	ocauous, vanset	ots, important features, et
lydrophylic Vegetalion Presen	17 Yes No		is the Sampled	l Áran	
fydrio Soll Present?	Yes No		within a Wotlan		No
Vetland Hydrology Present?					
leinarks. Mowe	e pasture				
	•				
TOTTATION 12	atifia naman af nisak			<u></u>	
EGETATION - Use scie		Absolute Don	de at la statuta	Dominance Test w	nebelant
ree Stratum (Plot size:			cles? Status	Number of Dominan	
			-	That Are OBL, FAC	W, or FAC:(A)
	-			Total Number of Do	minant
*****			*****	Species Across All 5	
				Percent of Dominan	t Species
apling/Shrub Statum (Plot s	lwa• V		tal Cover	That Are OBL, FAC	W. or FAC: (A/B
application Straint In ote				Prevalence Index v	vorksheet:
•				Total % Cover	of: Multiply by:
					x1=
				FACW species	x2=
·					x3¤
	•	» To	tel Cover		x4=
erb Stratum (Plot size:					x5=
				Column Totals:	(A) (B)
·				Prevalence In	dex = B/A =
·				Hydrophytic Veget	
			**	Dominance Tes	
				Prevalence Inde	
				Morphological	Adaptations' (Provide supporting arks or on a separate sheet)
·				Wetland Non-V	
· 	.,				drophytic Vegetation ¹ (Explain)
0					soll and wetland hydrology must
1,				be present, unless	disturbed or problematic.
	a· l	= Tot	al Cover		
				Hydrophytic	
Voody Vine Stratum (Plot siz				1.134 145.74	
				Vegetation	44
Voody Vine Stratum (Plot siz		# Tot	al Cover	Vegetation Present?	Yes No

US Army Corps of Engineers

Type: C=Concentration, D=Depletion, RM=: Hydric Solt Indicators: (Applicable to all L	Reduced Matrix, CS=Covered or Coated Sand Gra	ins. ² Location: PL=Pore Lining, M=Matrix, Indicators for Problematic Hydric Solis ² :
Histosol (A1) Histic Epipedon (A2) Bleck Histic (A3) Hydrogen Sulfide (A4) Depkated Below Dark Surface (A11) Thick Dark Surface (A12) Sandy Mucky Mineral (S1)	Sandy Redox (S5) Stripped Matrix (S6) Loamy Mucky Mineral (F1) (except MLRA 1) Loamy Gleyed Matrix (F2) Depleted Matrix (F3) Rédox Dark Surface (F6) Depleted Dark Surface (F7)	2 cm Muck (A10) Red Parent Material (TF2) Other (Explain in Remarks) Indicators of hydrophytic vegetation and wedland hydrology must be present,
	Redox Depressions (F8)	unless disturbed or problematic.
Restrictive Layer (if present): Type: Depth (inches):	The state of the s	Hydric Soll Present? Yes No
IYDROLOGY Wetland Hydrology indicators: Primary indicators (minimum of one required	; check all that apply)	Secundary Indicators (2 or more required)
Surfaco Water (A1) High Water Table (A2)	Water-Stained Leaves (B9) (except MLF 1, 2, 4A, and 4B)	4A, and 4B)
Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	Selt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roo	
Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6)	Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6 Stunded or Stressed Plants (D1) (LRR A)	Raised Ant Mounds (D6) (LRR A)
Inundation Visible on Aedal Imagery (B7 Sparsely Vegetated Conceve Surface (E Field Observations:		Frost-Heave Hummocks (D7)
Surface Water Present? Yes ! Water Table Present? Yes ! Saturation Present? Yes !	No Depth (inches): No Depth (inches): Worte	and Hydrology Present? Yes No
(includes capillary fringe)	nitoring well, serial photos, previous inspections).	if availeble;
Describe Recorded Data (stream gauge, mo		
Describe Recorded Dala (stream gauge, ind Remarks:		

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Redox Features
Color (moist) % Type* Loc* Texture

Western Mountains, Valleys, and Coast - Interim Version

Sampling Point: _

SOIL